



REPORT No.: RSH1011108772EDate: December 10, 2010

Page 1 of 18

Shanghai Grandway Telecom Tech. Co., Ltd 5F,13th Building, 99# Tianzhou Road, Xuhui District Shanghai China

Report on the submitted samples said to be:

Sample Name : Optical Laser Source

Test Style/ Item No. : FHS2T01

Additional Style/ Item No. FHS1D02, FHS1D03, FHS2D02, FHS2D03F, FH

FHS2T01F, FHS2T02F, FHS2Q01F, FHS2Q02F

Manufacturer : Sh. Guangjia Instruments Co., Ltd.

Sample Receiving Date : November 10, 2010 Lately Re-submit Date : December 8, 2010

Testing Period : From November 10, 2010 to December 10, 2010

Results : Please refer to next page(s).

Remark : As claimed by the material declaration submitted by the client, the material of

Additional Style/ Item No. are the same as the tested Style/ Item No. FHS2T01. But

the results only for the tested sample. And the applicant will undertake all

differences and risk.

Summary of Test Results:

TEST REQUEST CONCLUSION

A EU RoHS Directive 2002/95/EC and its amendment directives

PASS

Signed for and on behalf of BACL

William Wei

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Bay Area Compliance Laboratories Corp. (Shenzhen)





REPORT No.: RSH1011108772EDate: December 10, 2010

Page 2 of 18

Results:

A. EU RoHS Directive 2002/95/EC and its amendment directives on XRF

Test method: With reference to IEC 62321 Ed 1.0:2008, Screening by X-ray Fluorescence Spectroscopy (XRF)

| Seq. | Tested Part(s) | Results | | | | |
|-----------------|--|---------|----|----|----|----|
| No. | Testeu Fart(s) | Pb | Cd | Hg | Cr | Br |
| 1* ³ | Silvery metal(cover) | OL | BL | BL | BL | |
| 2 | Red soft plastic (cover) | BL | BL | BL | BL | BL |
| 3 | Black soft plastic (cover) | BL | BL | BL | BL | BL |
| 4* | Blue plastic (cover) | BL | BL | BL | BL | Х |
| 5 | Black plastic (pin holder, charge) | BL | BL | BL | BL | BL |
| 6 | Silvery plated golden metal (pin, charge) | BL | BL | BL | BL | |
| 7 | White printed black plastic (case, charge) | BL | BL | BL | BL | BL |
| 8 | Silvery metal(contact plate, charge) | BL | BL | BL | BL | |
| 9 | Silvery solder(contact plate, charge) | BL | BL | BL | BL | |
| 10 | Silvery metal coppery metal(wire, charge, PCB"E205057") | BL | BL | BL | BL | |
| 11 | Red soft plastic (wire jacket, charge, PCB"E205057") | | BL | BL | BL | BL |
| 12 | Black soft plastic (wire jacket, charge, PCB"E205057") | BL | BL | BL | BL | BL |
| 13 | White glue (charge, PCB"E205057") | BL | BL | BL | BL | BL |
| 14* | Matt white plastic (plate, charge, PCB"E205057") | BL | BL | BL | BL | Х |
| 15 | Black soft plastic (sleeve ,fuse, PCB"E205057") | BL | BL | BL | BL | BL |
| 16 | Silvery plated golden metal (cap, fuse, charge, PCB"E205057") | BL | BL | BL | BL | |
| 17 | Silvery plated coppery metal (wire, fuse, charge, PCB"E205057") | BL | BL | BL | BL | |
| 18 | Silvery solder(fuse, charge, PCB"E205057") | BL | BL | BL | BL | |
| 19 | White ceramic(fuse, charge, PCB"E205057") | | BL | BL | BL | BL |
| 20* | Yellow soft plastic (transformer, charge, PCB"E205057") | BL | BL | BL | BL | Х |
| 21 | Coppery metal (wire , transformer, charge, PCB"E205057") | BL | BL | BL | BL | |
| 22 | Translucent soft plastic (tube, transformer, charge, PCB"E205057") | BL | BL | BL | BL | BL |
| 23 | Black soft plastic(tube, transformer, charge, PCB"E205057") | BL | BL | BL | BL | BL |

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Bay Area Compliance Laboratories Corp. (Shenzhen)





REPORT No.: RSH1011108772E Date: December 10, 2010 Page 3 of 18

| Seq. | eq. Tosted Port(a) | | Results | | | | | | |
|------------------|---|----|---------|----|----|----|--|--|--|
| No. | Tested Part(s) | Pb | Cd | Hg | Cr | Br | | | |
| 24 | Yellow soft plastic with coppery metal(wire, transformer, charge, PCB"E205057") | BL | BL | BL | BL | | | | |
| 25 | Black magnet(transformer, charge, PCB"E205057") | | BL | BL | BL | | | | |
| 26 | Black plastic (core, transformer, charge, PCB"E205057") | BL | BL | BL | BL | BL | | | |
| 27 | Black ceramic (ceramic capacitor, charge(yellow), PCB"E205057") | BL | BL | BL | BL | BL | | | |
| 28* | Yellow coating(sleeve, ceramic capacitor, charge(yellow), PCB"E205057") | BL | BL | BL | BL | Х | | | |
| 29 | Silvery metal with silvery solder(pin, ceramic capacitor, charge(yellow), PCB"E205057") | BL | BL | BL | BL | | | | |
| 30 | Golden /black soft plastic(sleeve ,capacitor , PCB"E205057") | BL | BL | BL | BL | BL | | | |
| 31 | Black soft plastic (base, capacitor, PCB"E205057") | BL | BL | BL | BL | BL | | | |
| 32 | Silvery metal (contact plate, capacitor, PCB"E205057") | BL | BL | BL | BL | | | | |
| 33 | Silvery metal (case, capacitor, PCB"E205057") | BL | BL | BL | BL | | | | |
| 34 | Gray/silvery metal (foil, capacitor, PCB"E205057") | | BL | BL | BL | | | | |
| 35 | Brown /translucent paper(foil, capacitor, PCB"E205057") | | BL | BL | BL | BL | | | |
| 36 | White printed black soft plastic (sleeve, pin, diode , PCB"E205057") | BL | BL | BL | BL | BL | | | |
| 37* | Gray/black plastic(case , diode , PCB"E205057") | BL | BL | BL | BL | Х | | | |
| 38* ⁴ | Coppery plated silvery/silvery die (connector, diode , PCB"E205057") | OL | BL | BL | BL | | | | |
| 39 | Silvery plated coppery metal (pin, diode , PCB"E205057") | BL | BL | BL | BL | | | | |
| 40* | Black body(SMD transistor, PCB"E205057") | BL | BL | BL | BL | Х | | | |
| 41 | White printed black soft plastic (sleeve, pin, resistor, PCB"E205057") | BL | BL | BL | BL | BL | | | |
| 42 | Green plastic (case , resistor, PCB"E205057") | BL | BL | BL | BL | BL | | | |
| 43 | Black body(core, resistor, PCB"E205057") | BL | BL | BL | BL | BL | | | |
| 44 | Coppery metal (wire , resistor, PCB"E205057") | BL | BL | BL | BL | | | | |
| 45 | Silvery metal (pin, resistor, PCB"E205057") | BL | BL | BL | BL | | | | |
| 46 | White/brown soft plastic (sleeve ,capacitor , PCB"E205057") | BL | BL | BL | BL | BL | | | |
| 47 | Black soft plastic (base, capacitor , PCB"E205057") | BL | BL | BL | BL | BL | | | |
| 48 | Brown /translucent paper(foil ,capacitor , PCB"E205057") | BL | BL | BL | BL | BL | | | |
| 49 | Silvery metal (case, capacitor , PCB"E205057") | BL | BL | BL | BL | | | | |

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Bay Area Compliance Laboratories Corp. (Shenzhen)





REPORT No.: RSH1011108772E Date: December 10, 2010 Page 4 of 18

| Seq. | Tooted Boot(a) | Results | | | | | | |
|------------------|--|---------|----|----|----|----|--|--|
| No. | Tested Part(s) | Pb | Cd | Hg | Cr | Br | | |
| 50 | Gray metal (case, capacitor , PCB"E205057") | BL | BL | BL | BL | | | |
| 51 | Silvery metal (contact plate, capacitor , PCB"E205057") | BL | BL | BL | BL | | | |
| 52 | White/black soft plastic (sleeve , capacitor , PCB"E205057") | BL | BL | BL | BL | BL | | |
| 53 | Brown /translucent paper(foil, capacitor , PCB"E205057") | BL | BL | BL | BL | BL | | |
| 54 | Black soft plastic (base , capacitor , PCB"E205057") | BL | BL | BL | BL | BL | | |
| 55 | Silvery metal (case, capacitor , PCB"E205057") | BL | BL | BL | BL | | | |
| 56 | Silvery metal (contact plate, capacitor , PCB"E205057") | BL | BL | BL | BL | | | |
| 57 | Gray metal (foil , capacitor , PCB"E205057") | BL | BL | BL | BL | | | |
| 58* | Black body(IC"DB105G", PCB"E205057") | BL | BL | BL | BL | Х | | |
| 59* | Black body(IC"HN2A", PCB"E205057") | BL | BL | BL | BL | Х | | |
| 60* | Black body(EC, PCB"E205057") | BL | BL | BL | BL | Х | | |
| 61 | Silvery soft plastic (foil , capacitor , PCB"E205057") | BL | BL | BL | BL | BL | | |
| 62* | Green plastic (case, capacitor , PCB"E205057") | BL | BL | BL | Х | BL | | |
| 63 | Multi-printed gray coating(resistor , PCB"E205057") | BL | BL | BL | BL | BL | | |
| 64 | Black soft plastic (sleeve, pin , resistor , PCB"E205057") | BL | BL | BL | BL | BL | | |
| 65 | Silvery metal (cap, resistor , PCB"E205057") | BL | BL | BL | BL | | | |
| 66 | Silvery /white body(core, resistor , PCB"E205057") | BL | BL | BL | BL | | | |
| 67 | Silvery plated coppery metal (pin, resistor , PCB"E205057") | BL | BL | BL | BL | | | |
| 68 | Coppery metal (wire , inductor , PCB"E205057") | BL | BL | BL | BL | | | |
| 69 | Black body(core , inductor , PCB"E205057") | BL | BL | BL | BL | | | |
| 70 | Black body(SMD transistor , PCB"E205057") | BL | BL | BL | BL | BL | | |
| 71 | Black body(SMD diode , PCB"E205057") | BL | BL | BL | BL | BL | | |
| 72 | Black /white body(SMD resistor , PCB"E205057") | BL | BL | BL | BL | BL | | |
| 73* ⁴ | Coppery plated silvery with silvery solder(glass diode , PCB"E205057") | OL | BL | BL | BL | | | |
| 74* ¹ | Blue printed transparent glass (glass diode , PCB"E205057") | OL | BL | BL | BL | BL | | |
| 75 | Silvery solder(PCB"E205057") | BL | BL | BL | BL | | | |

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Bay Area Compliance Laboratories Corp. (Shenzhen)





REPORT No.: RSH1011108772E Date: December 10, 2010 Page 5 of 18

| Seq. | Tacked Bartis | | l | Results | S | |
|------------------|--|----|----|---------|----------|----|
| No. | Tested Part(s) | Pb | Cd | Hg | Cr | Br |
| 76* | White /green printed brown fiber with coppery metal (PCB"E205057") | BL | BL | BL | BL | Х |
| 77 | Black soft plastic (wire jacket) | BL | BL | BL | BL | BL |
| 78 | Coppery metal (wire) | BL | BL | BL | BL | |
| 79 | Silvery solder(plug) | BL | BL | BL | BL | |
| 80 | Silvery plated golden metal (fixer, plug) | BL | BL | BL | BL | |
| 81 | Black plastic (plug) | BL | BL | BL | BL | BL |
| 82 | Black plastic (case, plug) | BL | BL | BL | BL | BL |
| 83 | Silvery metal(small screw, base, case) | BL | BL | BL | BL | |
| 84 | Silvery metal(screw, base, case) | BL | BL | BL | BL | |
| 85 | Yellow /gray soft plastic (plastic sticker, base, case) | BL | BL | BL | BL | BL |
| 86 | Red /gray /white soft plastic (plastic sticker, base, case) | BL | BL | BL | BL | BL |
| 87 | Black plated silvery metal (support, base, case) | BL | BL | BL | BL | BL |
| 88 | Translucent soft plastic (plastic sticker, stuffing, base, case) | BL | BL | BL | BL | BL |
| 89 | Black foam(stuffing, base, case) | BL | BL | BL | BL | BL |
| 90 | Translucent soft plastic (plastic sticker, case) | BL | BL | BL | BL | BL |
| 91 | Blue /white /gray soft plastic (plastic sticker, case) | BL | BL | BL | BL | BL |
| 92 | Gray plastic (case) | BL | BL | BL | BL | BL |
| 93 | Orange soft plastic (case) | BL | BL | BL | Х | BL |
| 94 | White printed gray soft plastic (button) | BL | BL | BL | BL | BL |
| 95* ³ | Silvery golden metal (cover, top, case) | OL | BL | BL | BL | BL |
| 96 | Black /silvery soft plastic (plastic sticker, battery compartment) | BL | BL | BL | BL | BL |
| 97 | Silvery metal (metal plate, battery compartment) | BL | BL | BL | BL | BL |
| 98 | Silvery metal(spring, battery compartment) | BL | BL | BL | BL | |
| 99 | Golden metal(holder, case) | BL | BL | BL | BL | |
| 100 | Gray soft plastic(plastic sticker , USB, case) | BL | BL | BL | BL | BL |
| 101 | White ceramic (cover, top, case) | BL | BL | BL | BL | BL |

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Bay Area Compliance Laboratories Corp. (Shenzhen)





REPORT No.: RSH1011108772E Date: December 10, 2010 Page 6 of 18

| Seq. | eq. Tested Part(s) | | Results | | | | | | |
|-------------------|--|----|---------|----|----|----|--|--|--|
| No. | rested Part(s) | Pb | Cd | Hg | Cr | Br | | | |
| 102 | Black soft plastic (cover, top, case) | BL | BL | BL | BL | BL | | | |
| 103* | Silvery metal(spring, cover, top, case) | | BL | BL | Х | | | | |
| 104* ³ | Silvery plated coppery metal(fixer, cover, top, case) | OL | BL | BL | BL | | | | |
| 105 | Silvery plated coppery metal(beads, cover, top, case) | BL | BL | BL | BL | | | | |
| 106* | Light blue metal (screw, cover, top, case) | BL | BL | BL | Х | | | | |
| 107 | Translucent soft plastic (plastic sticker, stuffing, PCB"FHS2-V4.5-C") | BL | BL | BL | BL | BL | | | |
| 108 | Black foam(stuffing, PCB"FHS2-V4.5-C") | BL | BL | BL | BL | BL | | | |
| 109 | Orange/translucent soft plastic (button, PCB"FHS2-V4.5-C") | BL | BL | BL | BL | BL | | | |
| 110* | White /silvery metal(pad, button, PCB"FHS2-V4.5-C") | | BL | BL | Х | | | | |
| 111* | Silvery metal(pad, button, PCB"FHS2-V4.5-C") | | BL | BL | Х | | | | |
| 112 | Silvery plated golden metal (contact plate, button, PCB"FHS2-V4.5-C") | | BL | BL | BL | | | | |
| 113 | White plastic (base, button, PCB"FHS2-V4.5-C") | | BL | BL | BL | BL | | | |
| 114 | Black plastic(pin, base, PCB"FHS2-V4.5-C") | BL | BL | BL | BL | BL | | | |
| 115 | Golden metal (pin, PCB"FHS2-V4.5-C") | BL | BL | BL | BL | | | | |
| 116 | Silvery solder (PCB"FHS2-V4.5-C") | BL | BL | BL | BL | | | | |
| 117* | Yellow printed green fiber with coppery metal(PCB"FHS2-V4.5-C") | BL | BL | BL | BL | Х | | | |
| 118 | Silvery solder (battery compartment) | BL | BL | BL | BL | | | | |
| 119 | Black soft plastic (sleeve, wire jacket , PCB"FHS2-V4.5-A") | BL | BL | BL | BL | BL | | | |
| 120 | Red soft plastic (wire jacket , PCB"FHS2-V4.5-A") | BL | BL | BL | BL | BL | | | |
| 121 | Black soft plastic (wire jacket, PCB"FHS2-V4.5-A") | BL | BL | BL | BL | BL | | | |
| 122 | Silvery plated coppery metal(wire, PCB"FHS2-V4.5-A") | BL | BL | BL | BL | | | | |
| 123 | Silvery plated coppery metal(wire fixer, PCB"FHS2-V4.5-A") | | BL | BL | BL | | | | |
| 124 | White plastic (socket , PCB"FHS2-V4.5-A") | | BL | BL | BL | BL | | | |
| 125 | Matt white plastic (socket, PCB"FHS2-V4.5-A") | | BL | BL | BL | BL | | | |
| 126 | Silvery plated golden metal (pin, socket, PCB"FHS2-V4.5-A") | BL | BL | BL | BL | | | | |
| 127 | White /translucent plastic (wire, fixer, PCB"FHS2-V4.5-A") | BL | BL | BL | BL | BL | | | |

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Bay Area Compliance Laboratories Corp. (Shenzhen)





REPORT No.: RSH1011108772E Date: December 10, 2010 Page 7 of 18

| Seq. | Seq. Tosted Part(c) | | | Results | | | | | | |
|-------------------|---|----|----|---------|----|----|--|--|--|--|
| No. | Tested Part(s) | Pb | Cd | Hg | Cr | Br | | | | |
| 128 | Black plastic (case, socket, PCB"FHS2-V4.5-A") | BL | BL | BL | BL | BL | | | | |
| 129 | Silvery metal(stick ,socket, PCB"FHS2-V4.5-A") | BL | BL | BL | BL | | | | | |
| 130 | Silvery metal(contact plate, socket, PCB"FHS2-V4.5-A") | BL | BL | BL | BL | | | | | |
| 131 | Silvery metal (fixer, socket, PCB"FHS2-V4.5-A") | BL | BL | BL | BL | | | | | |
| 132* | Black plastic (transistor, PCB"FHS2-V4.5-A") | BL | BL | BL | BL | Х | | | | |
| 133* ⁴ | Silvery plated coppery /silvery die (connector, transistor, PCB"FHS2-V4.5-A") | OL | BL | BL | BL | | | | | |
| 134* | Black body(transistor, PCB"FHS2-V4.5-A") | BL | BL | BL | BL | Х | | | | |
| 135 | Silvery plated golden metal (case, socket, PCB"FHS2-V4.5-A") | BL | BL | BL | BL | | | | | |
| 136 | Black plastic (base, socket, PCB"FHS2-V4.5-A") | BL | BL | BL | BL | BL | | | | |
| 137 | Silvery /golden plated golden metal (contact plate, socket, PCB"FHS2-V4.5-A") BL | | BL | BL | BL | | | | | |
| 138* ⁴ | Silvery plated coppery /silvery die (connector, diode, PCB"FHS2-V4.5-A") | OL | BL | BL | BL | | | | | |
| 139* | Gray/black plastic(case, diode, PCB"FHS2-V4.5-A") | BL | BL | BL | BL | Х | | | | |
| 140* | Black body(SMD transistor, PCB"FHS2-V4.5-A") | BL | BL | BL | BL | Х | | | | |
| 141 | Brown body(SMD capacitor, PCB"FHS2-V4.5-A") | BL | BL | BL | BL | BL | | | | |
| 142 | Silvery body(crystal, PCB"FHS2-V4.5-A") | BL | BL | BL | BL | | | | | |
| 143 | Black plastic (fixer, LED, PCB"FHS2-V4.5-A") | BL | BL | BL | BL | BL | | | | |
| 144* | Translucent plastic (LED, PCB"FHS2-V4.5-A") | BL | BL | BL | BL | Х | | | | |
| 145 | Golden metal (connector, LED, PCB"FHS2-V4.5-A") | BL | BL | BL | BL | | | | | |
| 146 | Silvery metal (pin, LED, PCB"FHS2-V4.5-A") | BL | BL | BL | BL | | | | | |
| 147* | Black body(IC"HT1621B", PCB"FHS2-V4.5-A") | BL | BL | BL | BL | Х | | | | |
| 148 | Black body(IC"TL064C", PCB"FHS2-V4.5-A") | BL | BL | BL | BL | BL | | | | |
| 149 | Black body(IC"10Au 1029", PCB"FHS2-V4.5-A") | BL | BL | BL | BL | BL | | | | |
| 150* | Black body(SMD diode, PCB"FHS2-V4.5-A") | BL | BL | BL | BL | Х | | | | |
| 151 | Black body(IC"TL1164C", PCB"FHS2-V4.5-A") | BL | BL | BL | BL | BL | | | | |
| 152* | Black /white body(SMD capacitor, PCB"FHS2-V4.5-A") | BL | BL | BL | BL | Х | | | | |

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Bay Area Compliance Laboratories Corp. (Shenzhen)





REPORT No.: RSH1011108772E Date: December 10, 2010 Page 8 of 18

| Seq. | Seq. Tosted Part(a) | | ı | Results | 6 | |
|-------------------|--|----|----|---------|----|----|
| No. | Tested Part(s) | Pb | Cd | Hg | Cr | Br |
| 153 | Black body(EC, PCB"FHS2-V4.5-A") | BL | BL | BL | BL | BL |
| 154 | Brown body(big SMD capacitor, PCB"FHS2-V4.5-A") | | BL | BL | BL | BL |
| 155 | Silvery solder(PCB"FHS2-V4.5-A") | BL | BL | BL | BL | |
| 156* ² | Black /white body(SMD resistor, PCB"FHS2-V4.5-A") | OL | BL | BL | Х | BL |
| 157 | Black plastic(case, PCB"FHS2-V4.5-A") | BL | BL | BL | BL | BL |
| 158 | Black glue (buzzer, PCB"FHS2-V4.5-A") | BL | BL | BL | BL | BL |
| 159* | Green fiber with coppery metal(buzzer, PCB"FHS2-V4.5-A") | BL | BL | BL | BL | Х |
| 160 | White glue (foil, buzzer, PCB"FHS2-V4.5-A") | BL | BL | BL | BL | BL |
| 161 | Silvery metal(foil, buzzer, PCB"FHS2-V4.5-A") | | BL | BL | BL | |
| 162 | Silvery metal (pad, buzzer, PCB"FHS2-V4.5-A") | | BL | BL | BL | |
| 163 | Coppery metal(wire , buzzer, PCB"FHS2-V4.5-A") | BL | BL | BL | BL | |
| 164 | Silvery metal (base, buzzer, PCB"FHS2-V4.5-A") | | BL | BL | BL | |
| 165 | Black magnet(loop, buzzer, PCB"FHS2-V4.5-A") | | BL | BL | BL | |
| 166 | Black printed white paper(paper sticker, receiver, PCB"FHS2-V4.5-A") | | BL | BL | BL | BL |
| 167* | Silvery metal (case, receiver , PCB"FHS2-V4.5-A") | BL | BL | BL | Х | |
| 168 | Transparent soft plastic(sleeve , pin, receiver , PCB"FHS2-V4.5-A") | BL | BL | BL | BL | BL |
| 169 | Golden plated silvery metal (pin, receiver , PCB"FHS2-V4.5-A") | BL | BL | BL | BL | |
| 170 | Golden plated silvery metal (base, receiver , PCB"FHS2-V4.5-A") | BL | BL | BL | BL | |
| 171 | Transparent glass(receiver , PCB"FHS2-V4.5-A") | BL | BL | BL | BL | BL |
| 172 | Black body(EC receiver , PCB"FHS2-V4.5-A") | BL | BL | BL | BL | |
| 173 | Black soft plastic (receiver , PCB"FHS2-V4.5-A") | BL | BL | BL | BL | BL |
| 174 | White soft plastic (in wire jacket, PCB"FHS2-V4.5-A") | BL | BL | BL | BL | BL |
| 175 | Yellow soft plastic (wire jacket, PCB"FHS2-V4.5-A") | | BL | BL | BL | BL |
| 176 | Transparent plastic (cover, screen, PCB"FHS2-V4.5-A") | BL | BL | BL | BL | BL |
| 177 | Black soft plastic (stuffing, screen PCB"FHS2-V4.5-A") | BL | BL | BL | BL | |
| 178 | Silvery plated coppery metal (pin, screen, PCB"FHS2-V4.5-A") | BL | BL | BL | BL | BL |
| 179 | Purple /translucent soft plastic (foil, screen , PCB"FHS2-V4.5-A") | BL | BL | BL | BL | BL |

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Bay Area Compliance Laboratories Corp. (Shenzhen)





REPORT No.: RSH1011108772E Date: December 10, 2010 Page 9 of 18

| Seq. | q. Toeted Part(c) | | | Results | | | | | | |
|------|---|----|----|---------|----|----|--|--|--|--|
| No. | Tested Part(s) | Pb | Cd | Hg | Cr | Br | | | | |
| 180 | Gray /translucent soft plastic (foil, screen , PCB"FHS2-V4.5-A") | BL | BL | BL | BL | BL | | | | |
| 181 | Transparent glass (screen , PCB"FHS2-V4.5-A") | | BL | BL | BL | BL | | | | |
| 182 | Silvery soft plastic (foil, screen , PCB"FHS2-V4.5-A") | BL | BL | BL | BL | BL | | | | |
| 183 | White soft plastic (foil, screen , PCB"FHS2-V4.5-A") | BL | BL | BL | BL | BL | | | | |
| 184 | Translucent soft plastic (plastic sticker, screen , PCB"FHS2-V4.5-A") | BL | BL | BL | BL | BL | | | | |
| 185 | White /translucent soft plastic (foil, screen , PCB"FHS2-V4.5-A") | BL | BL | BL | BL | BL | | | | |
| 186 | Translucent plastic (screen , PCB"FHS2-V4.5-A") | BL | BL | BL | BL | BL | | | | |
| 187* | White fiber with coppery metal (screen , PCB"FHS2-V4.5-A") | BL | BL | BL | BL | Х | | | | |
| 188 | Yellow body(SMD LED , screen , PCB"FHS2-V4.5-A") | | BL | BL | BL | BL | | | | |
| 189 | Silvery solder (screen , PCB"FHS2-V4.5-A") | | BL | BL | BL | | | | | |
| 190* | Yellow printed green fiber with coppery metal (PCB"FHS2-V4.5-A") | BL | BL | BL | BL | Х | | | | |
| 191 | Black coating(logo) | | BL | BL | BL | BL | | | | |
| 192* | Silver metal (logo) | | BL | BL | Х | | | | | |
| 193 | Dark black fabric(bag) | BL | BL | BL | BL | BL | | | | |
| 194 | Black fabric(bag rim/lining rim) | BL | BL | BL | BL | BL | | | | |
| 195 | Bright black fabric with black PU (bag) | BL | BL | BL | BL | BL | | | | |
| 196 | Matt black fabric(belt) | BL | BL | BL | BL | BL | | | | |
| 197 | Black plastic (loop) | BL | BL | BL | BL | BL | | | | |
| 198 | Black coating(zipper) | BL | BL | BL | BL | BL | | | | |
| 199 | Silver metal(zipper) | BL | BL | BL | BL | | | | | |
| 200 | Black fabric(zipper) | BL | BL | BL | BL | BL | | | | |
| 201 | Bright black plastic(zipper teeth) | BL | BL | BL | BL | BL | | | | |
| 202 | Black net fabric(bag) | | BL | BL | BL | BL | | | | |
| 203* | Black hook/loop(bag) | BL | BL | BL | BL | Х | | | | |
| 204* | Soft black fabric(inside lining) | BL | BL | BL | BL | Х | | | | |
| 205 | Bright black fabric(inside bag) | BL | BL | BL | BL | BL | | | | |
| 206 | White foam(inside bag) | BL | BL | BL | BL | BL | | | | |
| 207 | Black plastic (rim) | | BL | BL | BL | BL | | | | |

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Bay Area Compliance Laboratories Corp. (Shenzhen)





REPORT No.: RSH1011108772E Date: December 10, 2010 Page 10 of 18

-- = Not Conducted

- * = Screening by XRF and detected by chemical method. The test results of chemical method please refer to next pages.
- *1 = As claimed by the material declaration submitted by the client, the materials of the sample No. 74 is glass. And according to RoHS directive 2002/95/EC and its amendments, Lead is exempted in glass of cathode ray tubes, electronic components and fluorescent tubes.
- *2 = As claimed by the material declaration submitted by the client, the materials of the sample No.156 is ceramic. And according to RoHS directive 2002/95/EC and its amendments, Lead is exempted in electronic ceramic parts (e.g. piezoelectronic devices).
- *3 = As claimed by the material declaration submitted by the client, the materials of the sample No.1,95,104 are copper alloy. And according to RoHS directive 2002/95/EC and its amendments, Lead is exempted as an alloying element in Copper containing up to 4% (40000ppm) by weight.
- As claimed by the material declaration submitted by the client, the materials of the sample No. 38,73,133,138 are high melting temperature type solders. And according to RoHS directive 2002/95/EC and its amendments, Lead is exempted in high melting temperature type solders (i.e.lead-based alloys containing 85 % by weight or more lead).

Remark:

i Results were obtained by XRF for primary screening, and further chemical testing by ICP (for Cd, Pb, Hg), UV-Vis (for Cr(VI)) and GC-MS (for PBBs, PBDEs) are recommended to be performed, if the concentration exceeds the below warning value according to IEC 62321 Ed 1.0:2008.

| Element | Unit | Non-metal | Metal | Composite Material |
|---------|-------|---|--|---------------------------------------|
| Cd | mg/kg | BL≤70-3σ <x <130+3σ≤OL</x | BL≤70-3σ <x <130+3σ≤OL</x | BL≤50-3σ <x <150+3σ≤OL</x |
| Pb | mg/kg | BL≤700-3σ <x <1300+3σ≤OL</x | BL≤700-3σ <x <1300+3σ≤OL</x | BL≤500-3σ <x <1500+3σ≤OL</x |
| Hg | mg/kg | BL≤700-3σ <x <1300+3σ≤OL</x | BL≤700-3σ <x <1300+3σ≤OL</x | BL≤500-3σ <x <1500+3σ≤OL</x |
| Cr | mg/kg | BL≤700-3σ <x< td=""><td>BL≤700-3σ<x< td=""><td>BL≤500-3σ<x< td=""></x<></td></x<></td></x<> | BL≤700-3σ <x< td=""><td>BL≤500-3σ<x< td=""></x<></td></x<> | BL≤500-3σ <x< td=""></x<> |
| Br | mg/kg | BL≤300-3σ <x< td=""><td></td><td>BL≤250-3σ<x< td=""></x<></td></x<> | | BL≤250-3σ <x< td=""></x<> |

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Bay Area Compliance Laboratories Corp. (Shenzhen)





REPORT No.: RSH1011108772EDate: December 10, 2010

Page 11 of 18

Note:

BL = Below Limit
OL = Over Limit
X = Inconclusive

- ii The XRF screening test for RoHS elements The reading may be different to the actual content in the sample be of non-uniformity composition.
- The maximum permissible limit is quoted from the document 2005/618/EC amending RoHS directive 2002/95/EC:

| RoHS Restricted Substances | Maximum Concentration Value (mg/kg) (by weight in homogenous materials) |
|---------------------------------------|---|
| Cadmium (Cd) | 100 |
| Lead (Pb) | 1000 |
| Mercury (Hg) | 1000 |
| Hexavalent Chromium (Cr(VI)) | 1000 |
| Polybrominated biphenyls (PBBs) | 1000 |
| Polybrominated diphenylethers (PBDEs) | 1000 |

Disclaimers:

This XRF Screening report is for reference purposes only. The applicant shall make its/his/her own judgment as to whether the information provided in this XRF screening report is sufficient for its/his/her purposes.

The result shown in this XRF screening report will differ based on various factors, including but not limited to, the sample size, thickness, area, surface flatness, equipment parameters and matrix effect (e.g. plastic, rubber, metal, glass, ceramic etc.). Further wet chemical pre-treatment with relevant chemical equipment analysis are required to obtain quantitative data.

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Bay Area Compliance Laboratories Corp. (Shenzhen)





REPORT No.: RSH1011108772EDate: December 10, 2010

Page 12 of 18

B. The Test Results of Chemical Method:

Test method:

Hexavalent Chromium Content (For metal material):

With reference to IEC 62321 Ed 1.0 Annex B, by boiling-water-extraction and analysis was performed by UV-visible spectrophotometer (UV-Vis)

PBBs & PBDEs Content:

With reference to IEC 62321 Ed 1.0 Annex A, by solvent extraction and analysis was performed by gas chromatographic-mass spectrometer (GC-MS)

1) The test results of Cr (VI)

| Item | MDL | | Results | | | | |
|-------------------------------|------|----------|----------|----------|----------|-------|--|
| item | MIDL | 62 | 93 | 103 | 106 | Limit | |
| Hexavalent Chromium (Cr (VI)) | ** | Negative | Negative | Negative | Negative | # | |

| Item | Item MDL | | Results | | | | |
|----------------------------------|----------|----------|----------|----------|----------|----------|-------|
| item | WIDL | 110 | 111 | 156 | 167 | 192 | Limit |
| Hexavalent Chromium (Cr (VI)) | ** | Negative | Negative | Negative | Negative | Negative | # |

Note:

- Negative = Absence of Cr(VI) on the tested areas
- MDL = Method Detection Limit
- mg/kg = ppm
- ** = Spot-test:

Negative = Absence of Cr(VI) coating/ surface layer, Positive = Presence of Cr(VI) coating/ surface layer; (The tested sample should be further verified by boiling-water-extraction method if the spot test result cannot be confirmed)

Boiling-water-extraction:

Negative = Absence of Cr(VI) coating/ surface layer, Positive = Presence of Cr(VI) coating/ surface layer; The detected concentration in boiling- water-extraction solution is equal or greater than 0.02 mg/kg with $50cm^2$ sample surface areas.

- #=

Positive indicates the presence of Cr(VI) on the tested areas and result be regarded as conflict with RoHS requirement.

Negative indicates the absence of Cr(VI) on the tested areas and result be regarded as no conflict with RoHS requirement.

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Bay Area Compliance Laboratories Corp. (Shenzhen)





REPORT No.: RSH1011108772E Date: December 10, 2010 Page 13 of 18

2) The test results of PBBs & PBDEs

| Item | Unit | MDL | | 1 !!4 | | | | |
|---|-------|-----|------|-------|------|------|------|------------|
| | Unit | | 4 | 14 | 20 | 28 | 37 | Limit |
| Polybrominated Biphenyls (PBBs) | | | | | | | | |
| Monobromobiphenyl | mg/kg | 5 | N.D. | N.D. | N.D. | N.D. | N.D. | |
| Dibromobiphenyl | mg/kg | 5 | N.D. | N.D. | N.D. | N.D. | N.D. | |
| Tribromobiphenyl | mg/kg | 5 | N.D. | N.D. | N.D. | N.D. | N.D. | |
| Tetrabromobiphenyl | mg/kg | 5 | N.D. | N.D. | N.D. | N.D. | N.D. | |
| Pentabromobiphenyl | mg/kg | 5 | N.D. | N.D. | N.D. | N.D. | N.D. | |
| Hexabromobiphenyl | mg/kg | 5 | N.D. | N.D. | N.D. | N.D. | N.D. | |
| Heptabromobiphenyl | mg/kg | 5 | N.D. | N.D. | N.D. | N.D. | N.D. | |
| Octabromobiphenyl | mg/kg | 5 | N.D. | N.D. | N.D. | N.D. | N.D. | |
| Nonabromodiphenyl | mg/kg | 5 | N.D. | N.D. | N.D. | N.D. | N.D. | |
| Decabromodiphenyl | mg/kg | 5 | N.D. | N.D. | N.D. | N.D. | N.D. | |
| Total content | mg/kg | / | N.D. | N.D. | N.D. | N.D. | N.D. | 1000 mg/kg |
| Polybrominated Diphenylethers (PBDEs)(Mon-Deca) | | | | | | | | |
| Monobromodiphenyl ether | mg/kg | 5 | N.D. | N.D. | N.D. | N.D. | N.D. | |
| Dibromodiphenyl ether | mg/kg | 5 | N.D. | N.D. | N.D. | N.D. | N.D. | |
| Tribromodiphenyl ether | mg/kg | 5 | N.D. | N.D. | N.D. | N.D. | N.D. | |
| Tetrabromodiphenyl ether | mg/kg | 5 | N.D. | N.D. | N.D. | N.D. | N.D. | |
| Pentabromodiphenyl ether | mg/kg | 5 | N.D. | N.D. | N.D. | N.D. | N.D. | |
| Hexabromodiphenyl ether | mg/kg | 5 | N.D. | N.D. | N.D. | N.D. | N.D. | |
| Heptabromodiphenyl ether | mg/kg | 5 | N.D. | N.D. | N.D. | N.D. | N.D. | |
| Octabromodiphenyl ether | mg/kg | 5 | N.D. | N.D. | N.D. | N.D. | N.D. | |
| Nonabromodiphenyl ether | mg/kg | 5 | N.D. | N.D. | N.D. | N.D. | N.D. | |
| Decabromodiphenyl ether | mg/kg | 5 | N.D. | N.D. | N.D. | N.D. | N.D. | |
| Total content | mg/kg | 1 | N.D. | N.D. | N.D. | N.D. | N.D. | 1000 mg/kg |

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Bay Area Compliance Laboratories Corp. (Shenzhen)





REPORT No.: RSH1011108772EDate: December 10, 2010

Page 14 of 18

| Item | l lmis | MDL | | 1114 | | | | |
|---|--------|-----|------|------|------|------|------|-----------|
| | Unit | | 40 | 58 | 59 | 60 | 76 | Limit |
| Polybrominated Biphenyls (PBBs) | | | | | | | | |
| Monobromobiphenyl | mg/kg | 5 | N.D. | N.D. | N.D. | N.D. | N.D. | |
| Dibromobiphenyl | mg/kg | 5 | N.D. | N.D. | N.D. | N.D. | N.D. | |
| Tribromobiphenyl | mg/kg | 5 | N.D. | N.D. | N.D. | N.D. | N.D. | |
| Tetrabromobiphenyl | mg/kg | 5 | N.D. | N.D. | N.D. | N.D. | N.D. | |
| Pentabromobiphenyl | mg/kg | 5 | N.D. | N.D. | N.D. | N.D. | N.D. | |
| Hexabromobiphenyl | mg/kg | 5 | N.D. | N.D. | N.D. | N.D. | N.D. | |
| Heptabromobiphenyl | mg/kg | 5 | N.D. | N.D. | N.D. | N.D. | N.D. | |
| Octabromobiphenyl | mg/kg | 5 | N.D. | N.D. | N.D. | N.D. | N.D. | |
| Nonabromodiphenyl | mg/kg | 5 | N.D. | N.D. | N.D. | N.D. | N.D. | |
| Decabromodiphenyl | mg/kg | 5 | N.D. | N.D. | N.D. | N.D. | N.D. | |
| Total content | mg/kg | / | N.D. | N.D. | N.D. | N.D. | N.D. | 1000 mg/k |
| Polybrominated Diphenylethers (PBDEs)(Mon-Deca) | | | | | | | | |
| Monobromodiphenyl ether | mg/kg | 5 | N.D. | N.D. | N.D. | N.D. | N.D. | |
| Dibromodiphenyl ether | mg/kg | 5 | N.D. | N.D. | N.D. | N.D. | N.D. | |
| Tribromodiphenyl ether | mg/kg | 5 | N.D. | N.D. | N.D. | N.D. | N.D. | |
| Tetrabromodiphenyl ether | mg/kg | 5 | N.D. | N.D. | N.D. | N.D. | N.D. | |
| Pentabromodiphenyl ether | mg/kg | 5 | N.D. | N.D. | N.D. | N.D. | N.D. | |
| Hexabromodiphenyl ether | mg/kg | 5 | N.D. | N.D. | N.D. | N.D. | N.D. | |
| Heptabromodiphenyl ether | mg/kg | 5 | N.D. | N.D. | N.D. | N.D. | N.D. | |
| Octabromodiphenyl ether | mg/kg | 5 | N.D. | N.D. | N.D. | N.D. | N.D. | |
| Nonabromodiphenyl ether | mg/kg | 5 | N.D. | N.D. | N.D. | N.D. | N.D. | |
| Decabromodiphenyl ether | mg/kg | 5 | N.D. | N.D. | N.D. | N.D. | N.D. | |
| Total content | mg/kg | / | N.D. | N.D. | N.D. | N.D. | N.D. | 1000 mg/k |

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Bay Area Compliance Laboratories Corp. (Shenzhen)





REPORT No.: RSH1011108772E Date: December 10, 2010 Page 15 of 18

| Item | 11:4 | MDL | | Limais | | | | |
|---|-------|-----|------|--------|------|------|------|-----------|
| | Unit | | 117 | 132 | 134 | 139 | 140 | Limit |
| Polybrominated Biphenyls (PBBs) | | | | | | | | - |
| Monobromobiphenyl | mg/kg | 5 | N.D. | N.D. | N.D. | N.D. | N.D. | |
| Dibromobiphenyl | mg/kg | 5 | N.D. | N.D. | N.D. | N.D. | N.D. | |
| Tribromobiphenyl | mg/kg | 5 | N.D. | N.D. | N.D. | N.D. | N.D. | |
| Tetrabromobiphenyl | mg/kg | 5 | N.D. | N.D. | N.D. | N.D. | N.D. | |
| Pentabromobiphenyl | mg/kg | 5 | N.D. | N.D. | N.D. | N.D. | N.D. | |
| Hexabromobiphenyl | mg/kg | 5 | N.D. | N.D. | N.D. | N.D. | N.D. | |
| Heptabromobiphenyl | mg/kg | 5 | N.D. | N.D. | N.D. | N.D. | N.D. | |
| Octabromobiphenyl | mg/kg | 5 | N.D. | N.D. | N.D. | N.D. | N.D. | |
| Nonabromodiphenyl | mg/kg | 5 | N.D. | N.D. | N.D. | N.D. | N.D. | |
| Decabromodiphenyl | mg/kg | 5 | N.D. | N.D. | N.D. | N.D. | N.D. | |
| Total content | mg/kg | / | N.D. | N.D. | N.D. | N.D. | N.D. | 1000 mg/k |
| Polybrominated Diphenylethers (PBDEs)(Mon-Deca) | | | | | | | | |
| Monobromodiphenyl ether | mg/kg | 5 | N.D. | N.D. | N.D. | N.D. | N.D. | |
| Dibromodiphenyl ether | mg/kg | 5 | N.D. | N.D. | N.D. | N.D. | N.D. | |
| Tribromodiphenyl ether | mg/kg | 5 | N.D. | N.D. | N.D. | N.D. | N.D. | |
| Tetrabromodiphenyl ether | mg/kg | 5 | N.D. | N.D. | N.D. | N.D. | N.D. | |
| Pentabromodiphenyl ether | mg/kg | 5 | N.D. | N.D. | N.D. | N.D. | N.D. | |
| Hexabromodiphenyl ether | mg/kg | 5 | N.D. | N.D. | N.D. | N.D. | N.D. | |
| Heptabromodiphenyl ether | mg/kg | 5 | N.D. | N.D. | N.D. | N.D. | N.D. | |
| Octabromodiphenyl ether | mg/kg | 5 | N.D. | N.D. | N.D. | N.D. | N.D. | |
| Nonabromodiphenyl ether | mg/kg | 5 | N.D. | N.D. | N.D. | N.D. | N.D. | |
| Decabromodiphenyl ether | mg/kg | 5 | N.D. | N.D. | N.D. | N.D. | N.D. | |
| Total content | mg/kg | / | N.D. | N.D. | N.D. | N.D. | N.D. | 1000 mg/k |

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Bay Area Compliance Laboratories Corp. (Shenzhen)





REPORT No.: RSH1011108772E Date: December 10, 2010 Page 16 of 18

| Item | l lmis | MDL | | l imais | | | | |
|---|--------|-----|------|---------|------|------|------|-----------|
| | Unit | | 144 | 147 | 150 | 152 | 159 | Limit |
| Polybrominated Biphenyls (PBBs) | | | | | | | | - |
| Monobromobiphenyl | mg/kg | 5 | N.D. | N.D. | N.D. | N.D. | N.D. | |
| Dibromobiphenyl | mg/kg | 5 | N.D. | N.D. | N.D. | N.D. | N.D. | |
| Tribromobiphenyl | mg/kg | 5 | N.D. | N.D. | N.D. | N.D. | N.D. | |
| Tetrabromobiphenyl | mg/kg | 5 | N.D. | N.D. | N.D. | N.D. | N.D. | |
| Pentabromobiphenyl | mg/kg | 5 | N.D. | N.D. | N.D. | N.D. | N.D. | |
| Hexabromobiphenyl | mg/kg | 5 | N.D. | N.D. | N.D. | N.D. | N.D. | |
| Heptabromobiphenyl | mg/kg | 5 | N.D. | N.D. | N.D. | N.D. | N.D. | |
| Octabromobiphenyl | mg/kg | 5 | N.D. | N.D. | N.D. | N.D. | N.D. | |
| Nonabromodiphenyl | mg/kg | 5 | N.D. | N.D. | N.D. | N.D. | N.D. | |
| Decabromodiphenyl | mg/kg | 5 | N.D. | N.D. | N.D. | N.D. | N.D. | |
| Total content | mg/kg | / | N.D. | N.D. | N.D. | N.D. | N.D. | 1000 mg/k |
| Polybrominated Diphenylethers (PBDEs)(Mon-Deca) | | | | | | | | |
| Monobromodiphenyl ether | mg/kg | 5 | N.D. | N.D. | N.D. | N.D. | N.D. | |
| Dibromodiphenyl ether | mg/kg | 5 | N.D. | N.D. | N.D. | N.D. | N.D. | |
| Tribromodiphenyl ether | mg/kg | 5 | N.D. | N.D. | N.D. | N.D. | N.D. | |
| Tetrabromodiphenyl ether | mg/kg | 5 | N.D. | N.D. | N.D. | N.D. | N.D. | |
| Pentabromodiphenyl ether | mg/kg | 5 | N.D. | N.D. | N.D. | N.D. | N.D. | |
| Hexabromodiphenyl ether | mg/kg | 5 | N.D. | N.D. | N.D. | N.D. | N.D. | |
| Heptabromodiphenyl ether | mg/kg | 5 | N.D. | N.D. | N.D. | N.D. | N.D. | |
| Octabromodiphenyl ether | mg/kg | 5 | N.D. | N.D. | N.D. | N.D. | N.D. | |
| Nonabromodiphenyl ether | mg/kg | 5 | N.D. | N.D. | N.D. | N.D. | N.D. | |
| Decabromodiphenyl ether | mg/kg | 5 | N.D. | N.D. | N.D. | N.D. | N.D. | |
| Total content | mg/kg | / | N.D. | N.D. | N.D. | N.D. | N.D. | 1000 mg/k |

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Bay Area Compliance Laboratories Corp. (Shenzhen)





REPORT No.: RSH1011108772E Date: December 10, 2010 Page 17 of 18

| Item | Unit | MDL | | 1111 | | | |
|---|-------|-----|------|------|------|------|------------|
| | Unit | | 187 | 190 | 203 | 204 | Limit |
| Polybrominated Biphenyls (PBBs) | | | | | | | |
| Monobromobiphenyl | mg/kg | 5 | N.D. | N.D. | N.D. | N.D. | |
| Dibromobiphenyl | mg/kg | 5 | N.D. | N.D. | N.D. | N.D. | |
| Tribromobiphenyl | mg/kg | 5 | N.D. | N.D. | N.D. | N.D. | |
| Tetrabromobiphenyl | mg/kg | 5 | N.D. | N.D. | N.D. | N.D. | |
| Pentabromobiphenyl | mg/kg | 5 | N.D. | N.D. | N.D. | N.D. | |
| Hexabromobiphenyl | mg/kg | 5 | N.D. | N.D. | N.D. | N.D. | |
| Heptabromobiphenyl | mg/kg | 5 | N.D. | N.D. | N.D. | N.D. | |
| Octabromobiphenyl | mg/kg | 5 | N.D. | N.D. | N.D. | N.D. | |
| Nonabromodiphenyl | mg/kg | 5 | N.D. | N.D. | N.D. | N.D. | |
| Decabromodiphenyl | mg/kg | 5 | N.D. | N.D. | N.D. | N.D. | |
| Total content | mg/kg | 1 | N.D. | N.D. | N.D. | N.D. | 1000 mg/kg |
| Polybrominated Diphenylethers (PBDEs)(Mon-Deca) | | | | | | | |
| Monobromodiphenyl ether | mg/kg | 5 | N.D. | N.D. | N.D. | N.D. | |
| Dibromodiphenyl ether | mg/kg | 5 | N.D. | N.D. | N.D. | N.D. | |
| Tribromodiphenyl ether | mg/kg | 5 | N.D. | N.D. | N.D. | N.D. | |
| Tetrabromodiphenyl ether | mg/kg | 5 | N.D. | N.D. | N.D. | N.D. | |
| Pentabromodiphenyl ether | mg/kg | 5 | N.D. | N.D. | N.D. | N.D. | |
| Hexabromodiphenyl ether | mg/kg | 5 | N.D. | N.D. | N.D. | N.D. | |
| Heptabromodiphenyl ether | mg/kg | 5 | N.D. | N.D. | N.D. | N.D. | |
| Octabromodiphenyl ether | mg/kg | 5 | N.D. | N.D. | N.D. | N.D. | |
| Nonabromodiphenyl ether | mg/kg | 5 | N.D. | N.D. | N.D. | N.D. | |
| Decabromodiphenyl ether | mg/kg | 5 | N.D. | N.D. | N.D. | N.D. | |
| Total content | mg/kg | 1 | N.D. | N.D. | N.D. | N.D. | 1000 mg/kg |

Note:

- N.D. = Not Detected or less than MDL
- mg/kg = ppm
- MDL = Method Detection Limit
- Photo appendix is included.

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Bay Area Compliance Laboratories Corp. (Shenzhen)







REPORT No.: RSH1011108772EDate: December 10, 2010

Page 18 of 18

Appendix

Photograph of Sample









BACL authenticate the photo on original report only

*** End of Report ***

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Bay Area Compliance Laboratories Corp. (Shenzhen)